

Bibliography

- Allen K (1995). Barriers to Treatment for Addicted African American Women. *Journal of the National Medical Association* 87 (10), 751-756.
- Alterman AI, Mulvaney FD, Cacciola JS, Cnaan A, McDermott PA, Brown LS (2001). The validity of the interviewer severity ratings in groups of ASI interviewers with varying training. *Addiction* 2001; 96: 1297-1305.
- Audit Commission (2002). *Changing Habits. The commissioning and management of community drug treatment services for adults.* London, Audit Commission.
- Audit Scotland (2002). *Review of the management of waiting lists in Scotland.* Auditor General. Edinburgh.
- Becker J & Duffy C (2002). *Women Drug Users and Drugs Service Provision : service-level responses to engagement and retention,* London : Home Office.
- BPADIWG (2000). *Evidence Based Practice Indicators For Alcohol and Other Drug Interventions.* Best Practice in Alcohol and Other Interventions Working Group. Australia.
- Brands B, Blake J, Marsh D (2002). *Changing patient characteristics with increased methadone maintenance availability.* Centre for Addiction and Mental Health. Toronto. Canada. Also at: brunabrands@camh.net
- Brewer DD, Catalano RF, Haggerty K, Gainey R, Fleming C (1998). A meta-analysis of predictors of continued drug use during and after treatment for opiate addiction. *Addiction* 1998; 93(1): 73-92.
- Cameron I, Naji S, Lind C, McKeganey N (2002). *A survey of NHS services for opiate dependents in Scotland.* Edinburgh, Scottish Executive, Effective Interventions Unit.
- Carey KB, Correia CJ (1998). *Addict Behav:* 23 (6) p 735 – 748.
- Carey KB, Simons J (2000). *Journal of substance abuse:* 11 (2), p139 – 147.
- Carroll KM (1995). *Psychol Assessment:* 7, (3), p 349 – 358.
- Christo G, Spurrell S, Alcorn R (2000). *Christo Inventory for substance misuse services.* *Drug and Alcohol Dependence* 2000; 59: 189 – 197.
- Council of Europe, Committee of Ministers (1999). *Recommendation No. R (99) 21 of the Committee of Ministers to member states on criteria for the management of waiting lists and waiting times in health care.* Adopted on 30 September 1999.
- CRU (2002). *Review of Care Management in Scotland.*
- CSAGS (2002). *Protecting Patient Confidentiality: Final Report.* Scottish Executive Health Department.
- Department of Health (2002). *Models of Care for substance misuse treatment.* Also at: <http://www.nta.nhs.uk/>
- Donovan DM, Rosengren DB, Downey L, Cox GB, Sloan KL (2001). Attrition prevention with individuals awaiting publicly funded drug treatment. *Addiction* Aug; 96(8): 1149-60.

Bibliography

Galbraith L (2001). Report on Street Homelessness in Glasgow. Glasgow Street Homelessness Review Team. Scottish Executive.

Georgakis A (1999). An investigation into the relationship between waiting times and outcomes in the treatment of substance dependency. European Association for the Treatment of Addiction (EATA). Also at: www.eata.org.uk

Gilbert L, El-Bassel N, Schilling R, Wada T (2000). Drug abuse and partner violence among women in methadone treatment. *Journal of Family Violence* : 2000, 15(3), p209-228

Gilchrist G (2002). Psychiatric morbidity among female drug users in Glasgow: Report for Greater Glasgow Drug Action Team. Greater Glasgow NHS Board

Gossop M, Marsden J, Stewart D (1998). NTORs at one year. The National Treatment Outcome Research Study - Changes in substance misuse, health and criminal behaviour one year after intake. London, Department of Health 1998. Also at: www.ntors.org.uk

Gossop M, Marsden J, Stewart D, Lehmann P, Edwards C, Wilson A, Segar G (1998). Substance use, health and social problems of clients at 54 drug treatment agencies: intake data from the National Treatment Outcome Research Study (NTORS). *British Journal of Psychiatry*. 173, pp. 166-71.

Hamilton W, Round A, Sharp D (2000). Patient, hospital and general practitioner characteristics associated with non-attendance: a cohort study. *Public Health Medicine, North and East Devon Health Authority, Exeter*.

Health Services Utilisation Research Commission (2001). Getting Started with Integrated Care Pathways. Sashatchewan. Also at: www.hsurc.sk.ca.

Healthworks UK (2001). A competent workforce to tackle substance misuse: an analysis of the need for national occupational standards in the drugs and alcohol sector. The Health Care National Training Organisation.

Hepburn, M, Elliott L (1997). A Community Obstetric Service for Women with Special Needs. *British Journal of Midwifery* Vol 5, No. 8: 485-488.

Hughes PH, Coletti SD, Neri RL, Umann CF, Stahl S, Sicilian DM & Anthony JC (1995). Retaining Cocaine-abusing Women in a Therapeutic Community: the effect of a child live-in program. *American Journal of Public Health*: 1995, 85(8 Part 1), p.1149-1152.

Joint Future Unit (2002).

Jones MA (1992). Clinical reasoning in manual therapy. *Physical therapy* 72: 875 – 883.

Kim RI, Sees KL & Delucchi KL (1994). Couples in substance abuse treatment. In L. S. Harris (Ed.), *Problems of drug dependence, 1993: Proceedings of the 55rd Annual Scientific Meeting*. The College on Problems of Drug Dependence, Inc. [Research Monograph 141] (p. 357). Rockville, MD: National Institute on Drug Abuse.

Kosten TR, Rounsaville BJ, Kleber HD (1985). Concurrent validity of the Addiction Severity Index. *Journal of nervous and Mental Disorders* 1985; 171: 606-610.

Kumpfer KL (1991). How to get hard-to-reach-parents involved in parenting programs. In : *Parent Training is prevention : Preventing Alcohol and Other Drug Problems Among*

Bibliography

Youth in the Family. DHHS Pub. No. (ADM) 91-1715. US Department of Health and Human Services, Office for Substance Abuse Prevention. Washington DC.

Leonhard C, Mulvey K, Gastfield D, Schwartz M (2000). The Addiction Severity Index: A field study of internal consistency and validity. 18: 129-135.

Lex B (1991). Some gender differences in alcohol and polysubstance users. Health Psychology. 10(2): p 121-132.

Local and Regional Development Planning (LRDP) (2002). New Futures Fund Final Evaluation of Phase I. Scottish Enterprise. Also at: www.scottish-enterprise.com/skills/personal/futures/

Maistro SA, Connors GJ (1992). Using subject and collateral reports to measure alcohol consumption. In RZ Litten, JP Allen (Eds.). Measuring alcohol consumption: Psychosocial and biological methods (pp 73 – 96). Totowa, NJ: Humana.

Marsden J, Gossop M, Stewart D, Best D, Farrell M, Lehmann P, Edwards C, Strang J (1998). The Maudsley Addiction Profile (MAP): a brief instrument for assessing treatment outcome. Addiction 1998; 93 (12): 1857 – 1868.

Marsh JC, Miller NA (1985). Female Clients in Substance Abuse Treatment. International Journal of Addiction : 20(6-7), p.995-1019.

Marsh JC, Daunno TA, Smith BD (2000). Increasing Access and Providing Social Services to Improve Drug Abuse – Treatment for Women With Children. Addiction. 95 (8), p.1237-1247.

McIntosh J, McKeganey N (2001). Identity and recovery from dependent drug use: the addict's perspective. Drugs Education, Prevention and Policy 2001; 8(1): 47-59.

McLennan AT, Cacciola J, Kushner H, Peters R, Smith I, Pettinati H (1992). The Fifth Edition of the Addiction Severity Index: cautions, additions and normative data. Journal of Substance Misuse Treatment 1992; 9(5): 461-480.

Middleton S, Roberts A (2001). Integrated Care Pathways – a practical approach to implementation. Butterworth/Heinemann

NHS Modernisation Agency (2002). The National Primary Care Development Team. Also at: <http://www.npdt.org/cdm/intro.htm>

Neale J, McKeganey N (1999). Drug Users' Risk Behaviour in Relation to Non-Fatal Overdose: A Qualitative Study of Accident and Emergency Admissions with Matched Controls. Final Report submitted to the Scottish Executive Health Department.

Pivnick A, Jacobson A, Eric K, Doll L, Drucker E (1994). AIDS, HIV Infection, and Illicit Drug Use Within Inner-city Families and Social Networks. American Journal of Public Health 1994; 84 (2) p. 271-274.

Powis B, Gossop M, Bury C, Payne K, Griffiths P (2000). Drug Using Mothers : Social , Psychological and Substance Use Problems of Women Opiate Users with Children. Drug and Alcohol Review: 2000, 19(2). P. 171-180.

Powis B, Griffiths P, Gossop M, Strang J (1996). The difference between male and female drug users: community samples of heroin and cocaine users compared. Substance Use and Misuse, 31(5) 1996; p. 529-43.

Bibliography

Riehmman KS, Hser YI, Zeller M (2000). Gender Differences in how Intimate Partners Influence Drug Treatment Motivation. *Journal of Drug Issues* 2000, 30(4) : p. 823-838.

Rosenberg H, Melville J, MacLean PC (2002). Acceptability and availability of pharmacological interventions for substance misuse by British NHS treatment services. *Addiction* 2002; 97(1): 59-65.

Rounsaville BJ, Wilber CH, Rosenberger D, Kleber HD (1981). Comparison of opiate addicts' reports of psychiatric history with reports of significant other informants. *American Journal of Drug and Alcohol Abuse*, 8, 51 – 69.

Sangster D, Shiner M, Patel K, Sheikh N (2002). Delivering drug services to black and ethnic minority ethnic communities (DPAS Paper 16). Home Office, 2002. Also at: www.drugs.gov.uk/ReportsandPublications/Communities/Blackminorityethniccommunities

Scottish Consumer Council Report (2001). Access to Primary Care Services in Scotland.

Scottish Executive (2002). Scottish Advisory Committee On Drug Misuse - Psychostimulant Working Group Report. Edinburgh, Scottish Executive. Also at: http://www.drugmisuse.isdscotland.org/publications/abstracts/sac_psychoreport.htm

Scottish Executive (2001). Initial Guidance on Shared Care Arrangements.

Scottish Executive (2001). Poverty and Social Exclusion in Rural Areas

Scottish Executive (2001). Identifying Learning and Support Needs: a digest of assessment tools. Beattie: implementing inclusiveness.

Scottish Executive (2001). Getting Our Priorities Right. Policy and practice guidelines for working with children and families affected by problem drug use.

Scottish Executive (2001). Independent Advocacy: A Guide to Commissioners.

Scottish Executive (2001). Initial Guidance on Shared Care Arrangements: Consultation Workshops Report. Effective Interventions Unit.

Scottish Executive (2001). Health and homelessness guidance.

Scottish Executive (2001). National Care Standards for care homes for people with drug and alcohol misuse problems.

Scottish Executive (2000). Our National Health: a plan for action, a plan for change.

Scottish Executive (2000). Report of the Joint Future Group.

Scottish Executive (2000). Report on street homelessness in Glasgow. Glasgow Street Homelessness Review Team.

Scottish Executive (1999). Beattie Committee: Implementing Inclusiveness.

Scottish Executive (1999). Survey of Further Education: The Beattie Committee Report. Further Education Provision for People with Additional Support Needs: Final Report. The Scottish Office Education and Industry Department.

Bibliography

Scottish Health Advisory Service (1997). *Advocacy: A guide to good practice*. The Scottish Office.

Scottish Office (1997). *Planning and Provision of Drug Misuse Services*. Edinburgh. The Stationary Office.

Sheikh N Patel K, Shiner M, Sangster D (2001). *National Scoping Study of Drugs Prevention and Drugs Service Delivery to Ethnic Minority Communities*.

Simeons S, Matheson C, Inkster K, Ludbrook A, Bond C (2002). *The effectiveness of treatment for drug users: an international systematic review of the evidence*. Edinburgh, Scottish Executive, Effective Interventions Unit.

Social Work Services Inspectorate (2001). *The report of a review of the rough sleepers initiative in Glasgow*. Edinburgh, Scottish Executive.

Stimson (1988). Preventing the spread of HIV injecting drug users – the experience of syringe-exchange scheme in England and Scotland. *NIDA Research Monograph 90*: 302-310.

Swift W, Copeland J, Hall W (1996). Characteristics of women with alcohol and other drug problems : findings of an Australian national survey. *Addiction 91* (8). p1141-1150.

Wallen J, Berman K (1992). Possible Indicators of Childhood Sexual Abuse for Individuals in Substance Abuse Treatment. *Journal of Child Sexual Abuse*. 1992, 1(3), p63-74.

Wiggins JS (1973). *Personality and Prediction*. Principles of Personality assessment (Reading, MA, Addison-Wesley).

Wilson DK, Grube J (1994). Role of psychosocial factors in obtaining self-reports of alcohol use in a DUI population. *Psychology of Addictive Behaviours*, 8, 139 – 151.

World Health Organisation (2002). At:
http://www.who.int/substance_abuse/pages/assessment.html